


TEMPERATURE VS. ET IRRIGATION BUDGET



Month	Temp Budget	ET
Jan	25.61%	23.18%
Feb	32.61%	29.82%
Mar	56.31%	53.62%
Apr	72.02%	72.23%
May	88.90%	88.47%
Jun	97.90%	96.19%
Jul	100.00%	100.00%
Aug	94.09%	92.93%
Sep	69.78%	70.39%
Oct	51.06%	53.07%
Nov	34.09%	29.09%
Dec	25.98%	25.67%

FIG. 1

Fig. 2




FIG. 3




FIG. 4

- 30 — Operator Installs Irrigation Controller
- 31 — Operator attaches cutoff switch to existing irrigation system
- 32 — Operator installs temperature sensor within target geographical area
- 33 — (Optional) Operator installs precipitation sensor

- 40 — Operator Configures Irrigation Controller
- 41 — Operator enters current time, date, month and year
- 42 — Operator enters expected summer high temperature and its date
- 43a/b — Operator enters latitude for geographical area or zip code
- 44 — Operator enters preliminary irrigation schedule
- 45 — (Optional) Operator enters minimum system activation temperature

- 50 — Controller Calculates Summer Temperature Budget Factor (STBF)
- 51 — Obtain extraterrestrial radiation value from RA lookup table
- 52 — Determine STBF from average summer temperature and RA

- 60 — Controller Calculates Periodic Temperature Budget Factor (PTBF)
- 61 — Record maximum temperature for the current period
- 62 — Determine RA for the current period
- 63 — Determine PTBF from periodic maximum temperature and RA

- 70 — Controller Affects Preliminary Irrigation Schedule
- 71 — Calculate water budget ratio (WBR) from STBF and PTBF
- 72 — Adjust irrigation schedule by WBR
- 73 — Store adjusted irrigation schedule

- 80 — Irrigation System Activation
- 81 — (Optional) Verify temperature is greater than minimum activation temperature
- 82 — (Optional) Verify lack of precipitation
- 83 — Activate adjusted irrigation schedule

FIG. 5

- 50 — Controller Calculates Summer Temperature Budget Factor (STBF)
- 51 — Obtain extraterrestrial radiation value from RA lookup table
- 52 — Determine STBF from average summer temperature and RA

- 60 — Controller Calculates Periodic Temperature Budget Factor (PTBF)
- 61 — Record maximum temperature for the current period
- 62 — Determine RA for the current period
- 63 — Determine PTBF from periodic maximum temperature and RA

- 70 — Controller Affects Preliminary Irrigation Schedule
- 71 — Calculate water budget ratio (WBR) from STBF and PTBF
- 72 — Adjust irrigation schedule by WBR
- 73 — Store adjusted irrigation schedule

- 80 — Irrigation System Activation
- 83 — Activate adjusted irrigation schedule

Extraterrestrial Radiation (RA) Expressed in Equivalent Evaporation (in mm/day)

January (1)	February (2)	March (3)	April (4)	May (5)	June (6)	July (7)	August (8)	September (9)	October (10)	November (11)	December (12)	Latitude (degrees) (13)
(a) Northern Hemisphere												
3.8	6.1	9.4	12.7	15.8	17.1	16.4	14.1	10.9	7.4	4.5	3.2	50
4.3	6.6	9.8	13.0	15.9	17.2	16.5	14.3	11.2	7.8	5.0	3.7	48
4.9	7.1	10.2	13.3	16.0	17.2	16.6	14.5	11.5	8.3	5.5	4.3	46
5.3	7.6	10.6	13.7	16.1	17.2	16.6	14.7	11.9	8.7	6.0	4.7	44
5.9	8.1	11.0	14.0	16.2	17.3	16.7	15.0	12.2	9.1	6.5	5.2	42
6.4	8.6	11.4	14.3	16.4	17.3	16.7	15.2	12.5	9.6	7.0	5.7	40
6.9	9.0	11.8	14.5	16.4	17.2	16.7	15.3	12.8	10.0	7.5	6.1	38
7.4	9.4	12.1	14.7	16.4	17.2	16.7	15.4	13.1	10.6	8.0	6.6	36
7.9	9.8	12.4	14.8	16.5	17.1	16.8	15.5	13.4	10.8	8.5	7.2	34
8.3	10.2	12.8	15.0	16.5	17.0	16.8	15.6	13.6	11.2	9.0	7.8	32
8.8	10.7	13.1	15.2	16.5	17.0	16.8	15.7	13.9	11.6	9.5	8.3	30
9.3	11.1	13.4	15.3	16.5	16.8	16.7	15.7	14.1	12.0	9.9	8.8	28
9.8	11.5	13.7	15.3	16.4	16.7	16.6	15.7	14.3	12.3	10.3	9.3	26
10.2	11.9	13.9	15.4	16.4	16.6	16.5	15.8	14.5	12.6	10.7	9.7	24
10.7	12.3	14.2	15.5	16.3	16.4	16.4	15.8	14.6	13.0	11.1	10.2	22
11.2	12.7	14.4	15.6	16.3	16.4	16.3	15.9	14.8	13.3	11.6	10.7	20
11.6	13.0	14.6	15.6	16.1	16.1	16.1	15.8	14.9	13.6	12.0	11.1	18
12.0	13.3	14.7	15.6	16.0	15.9	15.9	15.7	15.0	13.9	12.4	11.6	16
12.4	13.6	14.9	15.7	15.8	15.7	15.7	15.7	15.1	14.1	12.8	12.0	14
12.8	13.9	15.1	15.7	15.7	15.5	15.5	15.6	15.2	14.4	13.3	12.5	12
13.2	14.2	15.3	15.7	15.5	15.3	15.3	15.5	15.3	14.7	13.6	12.9	10
13.6	14.5	15.3	15.6	15.3	15.0	15.1	15.4	15.3	14.8	13.9	13.3	8
13.9	14.8	15.4	15.4	15.1	14.7	14.9	15.2	15.3	15.0	14.2	13.7	6
14.3	15.0	15.5	15.5	14.9	14.4	14.6	15.1	15.3	15.1	14.5	14.1	4
14.7	15.3	15.6	15.3	14.6	14.2	14.3	14.9	15.3	15.3	14.8	14.4	2
15.0	15.5	15.7	15.3	14.4	13.9	14.1	14.8	15.3	15.4	15.1	14.8	0
(b) Southern Hemisphere												
17.5	14.7	10.9	7.0	4.2	3.1	3.5	5.5	8.9	12.9	16.5	18.2	50
17.6	14.9	11.2	7.5	4.7	3.5	4.0	6.0	9.3	13.2	16.6	18.2	48
17.7	15.1	11.5	7.9	5.2	4.0	4.4	6.5	9.7	13.4	16.7	18.3	46
17.8	15.3	11.9	8.4	5.7	4.4	4.9	6.9	10.2	13.7	16.7	18.3	44
17.8	15.5	12.2	8.8	6.1	4.9	5.4	7.4	10.6	14.0	16.8	18.3	42
17.9	15.7	12.5	9.2	6.6	5.3	5.9	7.9	11.0	14.2	16.9	18.3	40
17.9	15.8	12.8	9.6	7.1	5.8	6.3	8.3	11.4	14.4	17.0	18.3	38
17.9	16.0	13.2	10.1	7.5	6.3	6.8	8.8	11.7	14.6	17.0	18.2	36
17.8	16.1	13.5	10.5	8.0	6.8	7.2	9.2	12.0	14.9	17.1	18.2	34
17.8	16.2	13.8	10.9	8.5	7.3	7.7	9.6	12.4	15.1	17.2	18.1	32
17.8	16.4	14.0	11.3	8.9	7.8	8.1	10.1	12.7	15.3	17.3	18.1	30
17.7	16.4	14.3	11.6	9.3	8.2	8.6	10.4	13.0	15.4	17.2	17.9	28
17.6	16.4	14.4	12.0	9.7	8.7	9.1	10.9	13.2	15.5	17.2	17.8	26
17.5	16.5	14.6	12.3	10.2	9.1	9.5	11.2	13.4	15.6	17.1	17.7	24
17.4	16.5	14.8	12.6	10.6	9.6	10.0	11.6	13.7	15.7	17.0	17.5	22
17.3	16.5	15.0	13.0	11.0	10.0	10.4	12.0	13.9	15.8	17.0	17.4	20
17.1	16.5	15.1	13.2	11.4	10.4	10.8	12.3	14.1	15.8	16.8	17.1	18
16.9	16.4	15.2	13.5	11.7	10.8	11.2	12.6	14.3	15.8	16.7	16.8	16
16.7	16.4	15.3	13.7	12.1	11.2	11.6	12.9	14.5	15.8	16.5	16.6	14
16.6	16.3	15.4	14.0	12.5	11.6	12.0	13.2	14.7	15.8	16.4	16.5	12
16.4	16.3	15.5	14.2	12.8	12.0	12.4	13.5	14.8	15.9	16.2	16.2	10
16.1	16.1	15.5	14.4	13.1	12.4	12.7	13.7	14.9	15.8	16.0	16.0	8
15.8	16.0	15.6	14.7	13.4	12.8	13.1	14.0	15.0	15.7	15.8	15.7	6
15.5	15.8	15.6	14.9	13.8	13.2	13.4	14.3	15.1	15.6	15.5	15.4	4
15.3	15.7	15.7	15.1	14.1	13.5	13.7	14.5	15.2	15.5	15.3	15.1	2
15.0	15.5	15.7	15.3	14.4	13.9	14.1	14.8	15.3	15.4	15.1	14.8	0

FIG. 6